



MICROstation6

ePAYMENT CLOSED SITE



MICROTRC

MICROstation6

Description

MICROstation6 is a compact POS system for closed loop payments. It includes reloading and sales functions for vending, as well as provides extensions for operation in restaurants and kiosk environments.

With immediate start-up and simple operation via the 4x4 keypad, the MICROstation6 makes managing products with fixed prices/VAT simple. The comfortable, 4-line display for transactions, settings, and statistics can connect to a printer or a customer display. Transfer EVA-DTS statistics by RFID or via the handheld MDD6.

The MICROstation6 makes it easy to reload or debit funds on your closed site payment system.

Benefits

No connection necessary. MIRCOstation6 is optimized for offline, but also handles online e-vending operations

Make adding value worthwhile. Program revaluation and debit of RFID tags and e-vending account

Data to drive profitability. Customer insights and metrics

Flexible for your needs. Manual input of amounts or fixed value per key

Accessories



MDD6

Makes reading data and programming readers easy.

- Read out of sales stats, individual transactions, and support package
- Reader programming and firmware downloads
- 4GB of memory and long battery life



DIS6 Display

- Dimensions: 10.8 * 56.2 mm
- Display: LCD 3 * 16 characters
- Operating Voltage: 5 VDC
- Power Consumption: 625 mW
- Fitting: front panel